




G FLOORS





Amber 3101

Blue



Amber 3102

Dark Grey



Amber 3103

Grey



Amber 3104

Brown



Amber 3101

Blue



Amber 3102

Dark Grey



G FLOORS



Amber 3103

Grey



Amber 3104

Brown

TECHNICAL SPECIFICATIONS


Product specifications are derived from averages resulting from normal manufacturing tolerances in yarn, fiber, temperature, humidity and color. May vary within normal industry tolerances. Performance is not affected by such variances.

As in all quality carpet tiles, colors are subject to dye lot variation. Shading is a result of tile direction. This is an inherent characteristics & therefore does not constitute a manufacturing defect. Backing or other materials may be changed without prior notice when shortages occur or when technological advancements provide for improvement of product performance.


Construction	Multilevel Loop Pile
Yarn Type	100% BCF Polypropylene
Dye Method	Solution Dye
Machine Gauge	1/12th
Pile Height (±5%)	4.5mm
Tufted Pile weight (±5%)	600 GSM
Total Thickness (±5%)	07 mm
Total Weight (±5%)	4000 gsm
Backing Type	Bitumen + Felt
Tile Size(CM)	25 cm × 100 cm
Tiles Per Box	24 pcs
Area Per Box	06 sqm

CUSHION BACKING WILL BE AVAILABLE AGAINST ORDER


INSTALLATION (Recommended)



✓ Quarter Turn



✗ Monolithic



✗ Brick



Sound
Insulation




Heat
Insulation




Anti
Static




Color
Fast



Wear-
Proof



Anti
Flammability



PVC Free

