





G FLOORS

BLISS |
Nylon
CARPET TILES


» Patterns that inspire, texture that delight »



7511 SLATE



7512 GRAPHITE



7513 LIVID




7514 GREIGE


- *Photos on the shade card are only showing design / patterns.*
- *The color of the sample pasted is only showing part of the actual carpet.*



7511 SLATE



7512 GRAPHITE



7512 GRAPHITE



7511 SLATE



7513 LIVID



7514 GREIGE



7514 GREIGE

7513 LIVID



SPECIFICATIONS

BLISS

S.No.	Product Name	1/12th Carpet Tiles-Graphics
1	Construction	Multi-Level Scroll Loop
2	Yarn Type	BCF
3	Fibre Composition	100% Nylon (PA 6)
4	Dye Method	Solution Dyed
5	Machine Gauge	1/12th
6	Pile Height ($\pm 5\%$)	2-4 mm
7	Tufted Pile Weight ($\pm 5\%$)	550 gsm
8	Total Thickness ($\pm 5\%$)	08 mm
9	Total Weight ($\pm 5\%$)	Cushion - 3950 gsm
10	Primary Backing	Non Woven
11	Secondary Backing	Cushion
12	Tile Size (CM)	50 cm x 50 cm
13	Tiles per Box	Cushion - 20 pcs.
14	Area per Box (SQM)	Cushion - 05 sqm
b) Performance Specifications		
I)	Flammability	ASTM D 2859-06
II	Colour Fastness	AATCC 16:3:2020
III	Dimensional Stability	IS 2977:1989
IV	Static Propensity (Anti-Static)	EN 1149-1
V	Smoke Density	ASTM E 662
VI	Sound Absorption	ASTM 423C



Antistatic




Reduced
Flamability

Recommended Installation :



Quarter
Turned



Horizontal