




G FLOORS





Ivy 671

Blue



Ivy 672

Grey



Ivy 673

Brown




Ivy 674

Charcol



G FLOORS



Ivy 671

Blue



G FLOORS



Ivy 672

Grey



G FLOORS

Ivy 673

Brown





Ivy 674

Charcol

TECHNICAL SPECIFICATIONS


Product specifications are derived from averages resulting from normal manufacturing tolerances in yarn, fiber, temperature, humidity and color. May vary within normal industry tolerances. Performance is not affected by such variances.

As in all quality carpet tiles, colors are subject to dye lot variation. Shading is a result of tile direction. This is an inherent characteristics & therefore does not constitute a manufacturing defect. Backing or other materials may be changed without prior notice when shortages occur or when technological advancements provide for improvement of product performance.


Construction	Level Loop Plain
Yarn Type	100% BCF Polypropylene
Dye Method	Solution Dye
Machine Gauge	1/10th
Pile Height (±5%)	3mm
Tufted Pile weight (±5%)	510 GSM
Total Thickness (±5%)	05 mm
Total Weight (±5%)	3350 gsm
Backing Type	Bitumen + Felt
Tile Size(CM)	50 cm × 50 cm
Tiles Per Box	24 pcs
Area Per Box	06 sqm

CUSHION BACKING WILL BE AVAILABLE AGAINST ORDER


INSTALLATION (Recommended)



✓ Quarter Turn



✗ Monolithic



✗ Brick



Sound
Insulation




Heat
Insulation




Anti
Static




Color
Fast



Wear-
Proof



Anti
Flammability



PVC Free

