





G FLOORS






Musk 615

Grey/Red




Musk 616

Blue/Green



Musk 617

Grey/Yellow



Musk 618

Beige/Orange



Musk 615

Grey/Red



Musk 616

Blue/Green



Musk 617

Grey/Yellow



Musk 618

Beige/Orange

TECHNICAL SPECIFICATIONS

Product specifications are derived from averages resulting from normal manufacturing tolerances in yarn, fiber, temperature, humidity and color. May vary within normal industry tolerances. Performance is not affected by such variances.


As in all quality carpet tiles, colors are subject to dye lot variation. Shading is a result of tile direction. This is an inherent characteristics & therefore does not constitute a manufacturing defect. Backing or other materials may be changed without prior notice when shortages occur or when technological advancements provide for improvement of product performance.

Construction	Level Loop Plain
Yarn Type	100% BCF Polypropylene
Dye Method	Solution Dye
Machine Gauge	1/10th
Pile Height (±5%)	3mm
Tufted Pile weight (±5%)	510 GSM
Total Thickness (±5%)	05 mm
Total Weight (±5%)	3350 gsm
Backing Type	Bitumen + Felt
Tile Size(CM)	50 cm × 50 cm
Tiles Per Box	24 pcs
Area Per Box	06 sqm


CUSHION BACKING WILL BE AVAILABLE AGAINST ORDER

INSTALLATION


(Recommended)



✓ Quarter Turn



✗ Monolithic



✗ Brick



Sound
Insulation




Heat
Insulation




Anti
Static



Color
Fast



Wear-
Proof



Anti
Flammability



PVC Free

